


CROSS RECESSED
PAN HEAD



PART NUMBER	A ±.020/0.51	NYLON PATCH
73774-1000	.375/9.53	NO
73774-1100	.375/9.53	YES
73774-1005	.500/12.70	NO
73774-1010	.625/15.88	NO
73774-1015	.250/6.35	NO

- NOTES:
 1. MATERIAL:
 SCREW: SAE 1022
 WASHER: SAE 1050
 2. FINISH: CLEAR TRIVALENT CHROMATE
 3. PLATING: 100 TO 300 MICROINCHES/2.54 TO 7.62 MICROMETERS ZINC PLATE
 4. TYPICAL SEATING TORQUE IS 1.8 INCH-LBS.

INITIAL RELEASE EC NO: UCP2012-2960 DRWN: MWOLFE 2012/03/09 CHKD: SDANNELLEY 2012/03/09 APPR: SMILLER 2012/03/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM	SCALE 25:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
		4 PLACES ± --- ± ---	3 PLACES ± --- ± .005	2 PLACES ± 0.13 ± .010	1 PLACE ± 0.25 ± ---	0 PLACE ± ±	ANGULAR ±1/2°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY MWOLFE DATE 2012/03/09	CHECKED BY SDANNELLEY DATE 2012/03/09
REV A	DESCRIPTION	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-73774-003		SHEET NO. 1 OF 1				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										